



LP BEARING CORP.



timken RCJ 20 Ball Bearing Housed Units- Fafnir® Four-Bolt Flanged Units Eccentric Locking Collar

Bearing No. RCJ 20

RCJ 20 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	0.726
EAN	0087796158658
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10.7 Millimeter
Relubricatable	Yes
Insert Part Number	GE20KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Square Flange Block; 20MM Bore; 90MM Bolt Circle; 63.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount;



LP BEARING CORP.

	Cast Iron; Ball Bearing; Relubricatable; Double Land Riding Rubber Contact Seals
Other Features	Single Row Normal Duty With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	RCJ 20
Weight / LBS	1.6
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	2.5 Inch 63.5 Millimeter
d	0.787 Inch 20 Millimeter
D	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	3.5 Inch 90 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Shaft Size d	0.787 in
Dimension D	2.374 in
Dimension E	1.827 in
Inside Ring Outside Diameter	1.291 in
Series	Industrial
Weight	1.6 lb
Seal Type	Shroud Seal
Total Length L	85.7 mm
Housing Width A	1.094 in
Bolt Hole Spacing J	63.50 mm
Bolt Hole Size N	10 mm
Flange Thickness A1	11.1 mm



LP BEARING CORP.

Center of Bearing from Housing End A2	19.8 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M10
Center of Bearing from Bearing End S	19.8 mm
Static Load Rating	1460 lbf
Dynamic Load Rating	3190 lbf