



LP BEARING CORP.



timken RCJ2 15/16 Ball Bearing Housed Units-
Fafnir® Four-Bolt Flanged Units Eccentric
Locking Collar

Bearing No. RCJ2 15/16

RCJ2 15/16 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	6.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	8.22
EAN	0087796061934
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	25/32 Inch
Relubricatable	Yes
Insert Part Number	G1215KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-15/16" Bore; 8-1/2" Bolt Circle; 6" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball



LP BEARING CORP.

	Bearing; 2-15/16" Length Thru Bore; Relubrica
Other Features	Single Row Normal Duty With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	RCJ 2 15/16
Weight / LBS	18.1
d	2.938 Inch 74.625 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	2.938 Inch 74.625 Millimeter
Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	6 Inch 152.4 Millimeter
Shaft Size d	2 15/16 in
Dimension D	6.374 in
Dimension E	3.807 in
Inside Ring Outside Diameter	3.980 in
Series	Industrial
Weight	18.1 lb
Seal Type	Shroud Seal
Total Length L	196.8 mm
Housing Width A	2.626 in
Bolt Hole Spacing J	152.4 mm
Bolt Hole Size N	16 mm
Flange Thickness A1	22.2 mm



LP BEARING CORP.

Center of Bearing from Housing End A2	41.9 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M16
Center of Bearing from Bearing End S	41.9 mm
Static Load Rating	10100 lbf
Dynamic Load Rating	15500 lbf