



LP BEARING CORP.



timken RCJO2 3/16 Ball Bearing Housed Units-
Fafnir® Four-Bolt Flanged Units Eccentric
Locking Collar

Bearing No. RCJO2 3/16

RCJO2 3/16 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	6.42
EAN	0087796061293
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	GN203KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-3/16" Bore; 7.9" Bolt Circle; 5-5/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron;



LP BEARING CORP.

	Ball Bearing; 2-3/16" Length Thru Bore; Relubrica
Other Features	Single Row Heavy Duty Wide Inner Race With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	RCJO 2 3/16
Weight / LBS	14.15
D	2.188 Inch 55.575 Millimeter
d	2.188 Inch 55.575 Millimeter
Nominal Bolt Circle Diameter Round	7.9 Inch 200 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	5.625 Inch 142.88 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size d	2 3/16 in
Dimension D	6.063 in
Dimension E	3.020 in
Inside Ring Outside Diameter	3.228 in
Series	Medium-Duty
Weight	14.16 lb
Seal Type	Shroud Seal
Total Length L	177.80 mm
Housing Width A	2.311 in
Bolt Hole Spacing J	142.9 mm
Bolt Hole Size N	16 mm



LP BEARING CORP.

Flange Thickness A1	17.5 mm
Center of Bearing from Housing End A2	31.5 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M16
Center of Bearing from Bearing End S	31.5 mm
Static Load Rating	10000 lbf
Dynamic Load Rating	17800 lbf